

WASTE RECEIPT # 9605534

SHIPPER ID # 990407-04

GENERATOR Grim Brothers Automotive
MANIFEST # 48602

[illegible]

DATE 4-28-99

RECEIVERS, SIGNATURE

Mike Dea



USEPA SF

1487836

Emergency Contact Telephone Number

UNIFORM HAZARDOUS
WASTE MANIFEST

1. Generator's US EPA ID No.

Small Generator

Manifest
Document No.

48002

2. Page 1
of 1Information in the shaded areas is
not required by Federal law.3. Generator's Name and Mailing Address
Grimm Brothers Automotive
4775 Monarch Road
Sagle ID 83860

4. Generator's Phone (208 265-4883

5. Transporter 1 Company Name

CleanCare

6. US EPA ID Number

WAD988477147

7. Transporter 2 Company Name

8. US EPA ID Number

10. US EPA ID Number

WAD980738512

9. Designated Facility Name and Site Address

CleanCare Corporation
1510 Taylor Way
Tacoma WA 98421

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

a. X RC, WASTE FLAMMABLE LIQUID,
N.O.S., 3, PG II,
UN1993, (Acetone, Toluene)b. X WASTE FLAMMABLE LIQUIDS, N.O.S.,
(Acetone, Toluene)
3, UN1993, PG II

d.

12. Containers

No.

Type

13.
Total
Quantity14.
Unit
Wt/Vol15.
Waste No.

000 00 000.00

001 D035 P003
WT02

002 DM 000.086

002 D007
D08 D035
F003 F005
WT02

J. Additional Descriptions for Materials Listed Above

1a. Acetone, Toluene, Mineral Spirits, Methanol, Xylene

11B. Profile # 11528

K. Handling Codes for Wastes Listed Above

a. FSUBS

15. Special Handling Instructions and Additional Information

15. Use ERG# 128 for 11B. For Emergency 1-800-282-8128

11B Shipper ID # 990407-04

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Signature

Month Day Year

T/S/D/F COPY

Emergency Contact Telephone Number

UNIFORM HAZARDOUS WASTE MANIFEST

1. Generator's US EPA ID No.

Small Generator

Manifest Document No. 43002

2. Page 1 of 1

Information in the shaded areas is not required by Federal law.

3. Generator's Name and Mailing Address

14000 Birchfield Avenue
14000 Birchfield Road
Cable ID 83960

4. Generator's Phone (206) 205-4860

5. Transporter 1 Company Name

TeamCare

6. US EPA ID Number

WAD990477147

7. Transporter 2 Company Name

8. US EPA ID Number

9. Designated Facility Name and Site Address

110 Taylor Way
Tacoma WA 98421

10. US EPA ID Number

WAD990736512

A. State Manifest Document Number

B. State Generator's ID

C. State Transporter's ID

D. Transporter's Phone (206) 627-1970

E. State Transporter's ID

F. Transporter's Phone

G. State Facility's ID

H. Facility's Phone

(206) 627-1970

11. US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)

HM

12. Containers

No.

Type

13. Total Quantity

14. Unit Wt/Vol

I. Waste No.

a. 1.03 3 PG II
11990 Acetone, Toluene

000

00

000.00

1001 000 1000

b. X Waskit Handoff Liquids, H.O.S.,
1.03 3 PG II
11990 Acetone, Toluene

002

DM

000.08

1001 000 1000
1005 003 5
1005 1005
WTC2

c.

d.

J. Additional Descriptions for Materials Listed Above

1. Acetone, Toluene, Mineral Spirits, Methanol, Xylene

K. Handling Codes for Wastes Listed Above

1. FEUB

11B. Profile # 11508

15. Special Handling Instructions and Additional Information

11B Shipper ID # 990407-04

16. GENERATOR'S CERTIFICATION: I hereby declare that the contents of this consignment are fully and accurately described above by proper shipping name and are classified, packed, marked, and labeled, and are in all respects in proper condition for transport by highway according to applicable international and national governmental regulations.

If I am a large quantity generator, I certify that I have a program in place to reduce the volume and toxicity of waste generated to the degree I have determined to be economically practicable and that I have selected the practicable method of treatment, storage, or disposal currently available to me which minimizes the present and future threat to human health and the environment; OR, if I am a small quantity generator, I have made a good faith effort to minimize my waste generation and select the best waste management method that is available to me and that I can afford.

Printed/Typed Name

Signature

Month Day Year

17. Transporter 1 Acknowledgement of Receipt of Materials

Printed/Typed Name

Mike Chavez

Signature

MC

Month Day Year

18. Transporter 2 Acknowledgement of Receipt of Materials

Printed/Typed Name

David Hemley

Signature

Month Day Year

19. Discrepancy Indication Space

20. Facility Owner or Operator: Certification of receipt of hazardous materials covered by this manifest except as noted in Item 19.

Printed/Typed Name

Mike Deacon for cc

Signature

Mike Deacon

Month Day Year

10/12/99

TRANSPORTER #2

RCRA Land Disposal Restriction Notification Form

This form is applicable to characteristic wastes (D codes), listed wastes (F, K, U and P codes), California List wastes, and Hazardous Debris.

Generator: Onion Belknap

U.S. EPA I.D. #: 508

Profile #: 11528

Manifest #: 48602

The wastes identified on this form are subject to the land disposal restrictions of 40 CFR Part 268. The wastes do not meet the treatment standards specified in Part 268, Subpart D or do not meet the applicable prohibition levels specified in 268.32 or RCRA Section 3004 (d). Pursuant to 40 CFR 268.7(a), the required information applicable to each waste is identified below (check all boxes that apply):

Treatability Group: ☐ Wastewater ☐ Nonwastewater
(Wastewater contain less than 1% filterable solids and less than 1% Total Organic Carbon)

- ☐ D001 Ignitable (except for High TOC) managed in non-CWA/non-CWA-equivalent/non Class I SDWA systems. (If this box is checked, complete and attach Form UC to address underlying hazardous constituents. Note: The underlying hazardous constituents need not be addressed if the waste is to be combusted or recovered.)
- ☐ D001 Ignitable (except for High TOC) managed in CWA/CWA-equivalent/Class I SDWA systems
- ☒ D001 High TOC Ignitable (greater than 10% total organic carbon)
- ☐ D002 Corrosive managed in non-CWA/non-CWA equivalent/non Class I SDWA systems
(If this box is checked, complete and attach Form UC to address underlying hazardous constituents)
- ☐ D002 Corrosive managed in CWA/CWA-equivalent/Class I SDWA systems
- ☐ D003 Reactive Sulfides based on 261.23(a)(5)
- ☐ D003 Reactive Cyanides based on 261.23 (a)(5)
- ☐ D003 Water Reactives based on 261.23(a)(2),(3) and (4)
- ☐ D003 Explosives based on 261.23 (a)(6),(7) and (8)
- ☐ D003 Other Reactives based on 261.23(a)(1)
- ☐ D004 Arsenic ☐ D005 Barium ☐ D006 Cadmium ☐ D006 Cadmium-containing batteries
- ☐ D007 Chromium ☐ D008 Lead ☐ D008 Lead acid batteries
- ☐ D009 High mercury inorganic (>260 mg/kg total), including incineration residue and residues from RMERC
- ☐ D009 High-mercury organic (>260 mg/kg total), not including incinerator residue
- ☐ D009 Low-mercury (260 mg/kg total) ☐ D009 All D009 wastewater's
- ☐ D010 Selenium ☐ D011 Silver

If D012-43 boxes are checked, complete and attach Form UC to address underlying hazardous constituents (unless these wastes are to be managed in CWA/CWA-equivalent/Class I SDWA systems):

- | | | |
|--|--|---|
| <input type="checkbox"/> D012 Endrin | <input type="checkbox"/> D023 o-Cresol | <input type="checkbox"/> D033 Hexachlorobutadiene |
| <input type="checkbox"/> D013 Lindane | <input type="checkbox"/> D024 m-Cresol | <input type="checkbox"/> D034 Hexachlorobutadiene |
| <input type="checkbox"/> D014 Methoxychlor | <input type="checkbox"/> D025 p-Cresol | <input type="checkbox"/> D035 Methyl ethyl ketone |
| <input type="checkbox"/> D015 Toxaphene | <input type="checkbox"/> D026 Cresols(Total) | <input type="checkbox"/> D036 Nitrobenzene |
| <input type="checkbox"/> D016 2,4-D | <input type="checkbox"/> D027 p-Dichlorobenzene | <input type="checkbox"/> D037 Pentachlorophenol |
| <input type="checkbox"/> D017 2,4,5-TP(Silvex) | <input type="checkbox"/> D028 1,2-Dichloroethane | <input type="checkbox"/> D038 Pyridine |
| <input type="checkbox"/> D018 Benzene | <input type="checkbox"/> D029 1,1-Dichloroethylene | <input type="checkbox"/> D039 Tetrachloroethylene |
| <input type="checkbox"/> D019 Carbon tetrachloride | <input type="checkbox"/> D030 2,4-Dinitrotoluene | <input type="checkbox"/> D040 Trichloroethylene |
| <input type="checkbox"/> D020 Chlordane | <input type="checkbox"/> D031 Heptachlor | <input type="checkbox"/> D041 2,4,5-Trichlorophenol |
| <input type="checkbox"/> D021 Chlorobenzene | <input type="checkbox"/> D032 Hexachlorobenzene | <input type="checkbox"/> D042 2,4,6-Trichlorophenol |
| <input type="checkbox"/> D022 Chloroform | | <input type="checkbox"/> D043 Vinyl chloride |

In addition, the following wastes are included in this shipment:

☒ F001-F005 spent solvents. (If this box is checked, complete the F001-F005 section on the back of this form. Check the hazardous waste number(s) that applies, and identify the constituents likely to be present in the waste.)

- ☐ F039 multisource leachate. (If this box is checked, complete and attached Form UC to identify the individual constituents.)
- ☐ RCRA Section 3004(d) California list wastes. (If this box is checked, complete the California List Section on the back or this form.)
- ☐ Hazardous Debris (If this box is checked, complete the Hazardous Debris section on the back of this form)

If this shipment carries additional waste codes that are non addressed above, identify them here:

EPA Waste Code	Subcategory (if applicable)	EPA Waste Code	Subcategory (if applicable)
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____
_____	_____	_____	_____

Check the box(es) that applies: identify the individual constituents likely to be present.

Regulated hazardous constituents

- Methylene chloride
1,1,1-Trichloroethane
1,1,2-Trichloro 1,2,2-trifluoroethane

- o*-Dichlorobenzene
 Tetrachloroethylene
 1,1,2-Trichloroethane
 1,1,2-Trichloro-1,2,2-trifluoroethane

- n*-Butyl alcohol
Ethyl acetate
Ethyl ether
Methyl isobutyl ketone

- o*-Cresol
Cresol-mixed isomers(cresylic acid)

- Carbon disulfide*
Isobutyl alcohol
2-Nitropropane
Toluene

*The treatment standards for carbon disulfide, cyclohexanone, and methanol nonwastewaters are based on the TCLP and apply to spent solvent nonwastewaters containing only one, two, or all three of these constituents. The treatment for these three constituents do not apply when any of the other F001-F005 constituents are present in the waste.

California List Wastes
Check applicable boxes; only RCRA-regulated hazardous wastes can be subject to the California List prohibitions. Note that the California List prohibitions do not apply to newly identified (e.g., D018-D043) or newly listed wastes.

- ☒ Liquid or nonliquid wastes containing Halogenated Organic Compounds listed in 40 CFR 268 Appendix III at $\geq 1,000\text{mg/kg}$ (solids) or $\geq 1,000\text{ mg/L}$ (liquids)

Hazardous Debris
The definitions of "debris" and "hazardous debris" are in 40 CFR 268.2. Per 268.45, hazardous debris must be treated for each "contaminant subject to treatment." To determine these, look up the waste code in 268.40 and list the regulated hazardous constituents for each code. Check the box that applies.

- ☐ This shipment contains hazardous debris that will be treated to meet the 268.40 treatment standards for the waste(s) containing the debris).

The contaminants subject to treatment for this debris are identified below:

Contaminants subject to treatment

[illegible]

RCRA Land Disposal Restriction Notification Form-UC

Generator: Grimm Ballers
Profile #: 11528U.S. EPA I.D. # 506
Manifest #: 48602

In accordance with 40 CFR 268.7(a), the underlying hazardous constituents must be addressed in the waste. Per 268.2(l), "underlying hazardous constituent" means any constituent listed in 268.48, Table UTS-Universal Treatment Standards, except zinc, which can reasonably be expected to be present at the point of generation of the hazardous waste, at a concentration above the constituent-specific UTS treatment standard. Refer to Form-EZ (attached) for the waste code(s), treatability group, and subcategory applicable to this waste. This form may also be used to identify F039 constituents.

Please check the appropriate box:

- ☐ This Shipment includes F039 multisource leachate. The individual constituents likely to be present are identified on the back page of this form.
- ☒ This shipment includes D001 (other than 1/High TOC ignitables, or 2) other ignitables that will be combusted or recovered), D002, and/or D012-D043 characteristic wastes will not be managed in CWA/CWA-equivalent/Class I SDWA systems. The underlying hazardous constituents must be addressed for this waste.

In order to address underlying constituents waste, please check the appropriate box:

☐ I have reviewed the UTS list of 268.48, and per 268.7(a), I have determined that there are no underlying hazardous constituents reasonably expected to be present in this waste.

☒ I have reviewed the UTS list of 268.48, and per 268.7(a), I have determined that underlying hazardous constituents are present in this waste. The underlying hazardous constituents are identified on the back of this form.

The determination of underlying hazardous constituents was based on:

☐ Generator's knowledge of waste

☒ Analysis

I certify that I personally have examined and am familiar with the waste through analysis and testing, or through knowledge of the waste to support this certification. I certify that as an authorized representative of the generator named above, all the information submitted in this notification is true and correct to the best of my knowledge.

D.L. Grimm
Printed Name

L.D.
Signature

4/7/99
Date

Circle or otherwise identify the underlying hazardous constituents (or F039 constituents) present in the waste:

Constituent

Acenaphthene
 Acenaphthylene
 Acetone
 Acetonitrile
 Acetophenone
 2-Acetylaminofluorene
 Acrolein
 Acrylamide
 Acrylonitrile
 Aldrin
 4-Aminobiphenyl
 Aniline
 Anthracene
 Aramite
 alpha-BHC
 beta-BHC
 delta-BHC
 Benz(n)anthracene
 Benzal chloride*
 Benzene
 Benzo(a)pyrene
 Benzo(b)fluoranthene
 Benzo(k)fluoranthene
 Benzo(g,h,i)perylene
 Bis(2-chloroethoxy)methane ?
 Bix(2-chloroethyl)ether
 Bix(2-chloroisopropyl)ether
 Bis(2-ethylhexyl)phthalate
 Bromodichloromethane
 Bromomethane(methyl bromide)
 4-Bromophenyl phenyl ether
 n-butyl alcohol
 Butyl benzyl phthalate
 2-sec-Butyl-4,6-dinitrophenol
 (Dinoseb)
 Carbon disulfide
 Carbon tetrachloride
 Chlordane
 (alpha and gamma isomers)
 p-Chloroaniline
 Chlorobenzene
 Chlorobenzilate
 2-Chloro-1,3-butadiene
 Chlorodibromomethane
 Chloroethane
 Chloroform
 p-Chloro-m-cresol
 2-Chloroethyl vinyl ether*
 Chloromethane(methyl chloride)
 2-Chloronaphthalene
 2-Chlorophenol
 3-Chloropropylene

Constituent

Chrysene
 o-Cresol
 m-Cresol
 p-Cresol
 Cyclohexanone
 o,p'-DDD
 p,p'-DDD
 o,p'-DDE
 p,p'-DDE
 o,p'-DDT
 p,p'-DDT
 Dibenzo(a,h)anthracene
 Dibenzo(a,e)pyrene
 1,2-Dibromo-3-chloropropane
 1,2-Dibromomethane
 (ethylene dibromide)
 Dibromomethane
 m-Dichlorobenzene
 o-Dichlorobenzene
 p-Dichlorobenzene
 Dichlorodifluoromethane
 1,1-Dichloroethane
 1,2-Dichloroethane
 1,1-Dichloroethylene
 trans-1,2-Dichloroethylene
 2,4-Dichlorophenol
 2,6-Dichlorophenol
 2,4-Dichlorophenoxyacetic acid
 (2,4-D)
 1,2-Dichloropropane
 cis-1,3-Dichloropropylene
 trans-1,3-Dichloropropylene
 Dieldrin
 Diethyl phthalate
 p-Dimethylaminoazobenzene*
 2,4-Dimethyl phenol
 Dimethyl phthalate
 Di-n-butyl phthalate
 1,4-Dinitrobenzene
 4,6-Dinitro-o-cresol
 2,4-Dinitrophenol
 2,4-Dinitrotoluene
 2,6-Dinitrotoluene
 Di-n-octyl phthalate
 Di-n-propylnitrosamine
 1,4-Dioxane
 Diphenylamine
 Diphenylnitrosamine
 1,2-Diphenyl hydrazine
 Disulfoton
 Endosulfan I
 Endosulfan II

Constituent

Endosulfan sulfate
 Endrin
 Endrin aldehyde
 Ethyl acetate
 Ethyl benzene
 Ethyl ether
 Ethyl methacrylate
 Ethylene oxide
 Famphur
 Fluoranthene
 Fluorene
 Heptachlor
 Heptachlor epoxide
 Hezachlorobenzene
 Hexachlorobutadiene
 Hexachlorocyclopentadiene
 Hexachlorodibenzo-p-dioxins
 Hexachlorodibenzofurans
 Hexachloroethane
 Hexachloropropylene
 Indeno(1,2,3-c,d)pyrene
 Iodomethane
 Isobutyl alcohol
 Isodrin
 Isosafrole
 Kepone
 Methacrylonitrile
 Methanol
 Methapyrilene
 Methoxychlor
 3-Methylcholanthrene
 4,4-Methylene-bis(2-chloroaniline)
 Methylene chloride
 Methyl ethyl ketone
 Methyl isobutyl ketone
 Methyl methacrylate
 Methyl methanesulfonate
 Methyl parathion
 Naphthalene
 2-Naphthylamine
 o-Nitroaniline*
 p-Nitroaniline
 Nitrobenzene
 5-Nitro-o-toluidine
 o-Nitrophenol
 p-Nitrophenol
 N-Nitrosodiethylamine
 N-Nitrosodimethylamine
 N-Nitrosodi-n-butylamine
 N-Nitrosomethylethylamine
 N-Nitrosomorpholine
 N-Nitrosopiperidine

Constituent

N-Nitrosopyrrolidine
 Parathion
 PCBs(total)
 Pentachlorobenzene
 Pentachlorodibenzo-p-dioxins
 Pentachlorodibenzofurans
 Pentachloroethane*
 Pentachloronitrobenzene
 Pentachlorophenol
 Phenacetin
 Phenanthrene
 Phenol
 Phorate
 Phthalic acid*
 Phthalic anhydride
 Pronamide
 Propanenitrile(ethyl cyanide)
 Pyrene
 Pyridine
 Safrole
 Silvex(2,4,5-TP)
 1,2,4,5-Tetrachlorobenzene
 Tetrachlorodibenzo-p-dioxins
 Tetrachlorodibenzofurans
 1,1,1,2-Tetrachloroethane
 1,1,2,2-Tetrachloroethane
 Tetrachloroethylene
 2,3,4,6-Tetrachlorophenol
 Toluene
 Toxaphene
 Tribromomethane(bromofum)
 1,2,4-Trichlorobenzene
 1,1,1-Trichloroethane
 1,1,2-Trichloroethane
 Trichloroethylene
 Trichloromonofluoromethane
 2,4,5-Trichlorophenol
 2,4,6-Trichlorophenol
 2,4,5-Trichlorophenoxyacetic
 acid(2,4,5-T)
 1,2,3-Trichloropropane
 1,2,3-Trichloropropane
 1,1,2-Trichloro-1,2,2-trifluoroethane
 Tris(2,3-dibromopropyl)phosphate
 Vinyl chloride
 Xylenes(total)
 Antimony
 Arsenic
 Barium
 Beryllium
 Cadmium
 Chromium(total)
 Cyanide(total)
 Cyanide(amenable)
 Mercury(report residues)*
 Mercury(all others)
 Fluoride
 Lead
 Nickel
 Selenium
 Silver
 Sulfide
 Thallium
 Vanadium

*This constituent is not a regulated hazardous constituent in F039

CleanCare Corp.
Material Information Sheet

Profile Number: 11528

Cert. Date:

5/4/98

Review Date:

5/3/99

Generating Site

Name: GRIMM BROTHERS AUTO
 Address: 4775 MONARCH ROAD
 City: SAGLE
 State: ID
 Zip: 83860
 Phone: 208-265-4883
 Contact: KEVIN GRIMM
 EPA ID#: CESQG

Mailing Address

Name: GRIMM BROTHERS AUTO
 Address: 4775 MONARCH ROAD
 City: SAGLE
 State: ID
 Zip: 83860
 Phone: 208-265-4883
 Contact: KEVIN GRIMM

WASTE MATERIAL

FormCode: B211

TreatmentCode:

WasteName:

ProcessCode: M061

MSDSCode: Y

PAINT WASTE AND GUNWASH

AnalyticalCode:

WasteProcess:

SourceCode: A06

Generic Profile: N

CLEANING PAINTING EQUIPMENT

SampleNumber:

WASTE CHARACTERISTICS

WasteColor: VARIES

PercentSolid: 5

PCBs: NEG

PhysicalState: LIQUID

SpecificGravity: 1-1.1

Cyanides: NEG

pHRange: 6-8

Layers: SINGLE PHASED

Sulfides: NEG

FlashPoint: <100

BTUValue: >10,000

Phenolics: NEG

METALS

PPM

PPM

PPM

Arsenic: <5

Lead: <100

Nickel: <134

Barium: <100

Mercury: <.2

Thallium: <130

Cadmium: <1

Selenium: <1

HexChrome: 0

Chromium: <100

Silver: <5

WASTE CODES Federal: D001 D007 D008 D035 F003 F005 State: WT02

Designation Code: D

Comments: MUST GENERATED <220LBS/MONTH OR HAVE EPAID#

WASTE COMPOSITION

	Min	Max
TOLUENE	30	60
XYLENE	5	20
METHANOL	5	20
METHYL ETHYL KETONE	5	20
N-BUTYL ACETATE	5	10
PAINT SOLIDS	5	10
PROPYLENE GLYCOL MONOMETHYL ETHER ACETATE	1	5
RESINS	1	5
LEAD CHROMATE	1	5
TITANIUM DIOXIDE	1	5
NAPHTHENES	1	5
ACETONE	1	5
ETHYL ACETATE	1	5
ISOPROPYL ALCOHOL	1	5

180

ShipDOT_PSN: WASTE FLAMMABLE LIQUIDS, N.O.S.

ShipAdditionalDesc: (ACETONE, TOLUENE)

ShipHazardClass: 3

ShipDOT_id: UN1993

ShipPackingGroup: II

I hereby certify that as an authorized representative of the generator named above, that the above attached description is complete and accurate to the best of my knowledge and ability to determine, that no deliberate or willful omission of composition or properties exist, and that all known or suspected hazards have been disclosed. I certify that the materials tested are representative of all materials subject to the contract.

Signature

Title

Date

Printed Name

4/7/99

[Signature]
 LORRAINE GRIMM
 LORRAINE GRIMM